



MAN KUNG
ARCHERY & CROSSBOW

PERSISTENCE
INNOVATION
AND TECHNOLOGY



2017

PRODUCT CATALOG

CONTENTS

CROSSBOWS


MK-XB56	07
MK-XB55	09
MK-XB53	11
MK-XB52	13
MK-400	15
MK-380	17
MK-350	19
MK-300	21
MK-XB001	22
MK-XB23	23
MK-XB21	25
MK-175	27
MK-150A1	28
MK-150A1H	30
MK-150A2	31
MK-180	32
MK-120	33
MK-80A4AL	34
MK-80A4PL	34
MK-80A3	35
MK-80A1	35
MK-50A2/5PL	36
MK-50A1/5PL	36
ACCESSORIES	37

ARCHERY BOWS

MK-CBA2	43
MK-CB75	45
MK-CB50	47
MK-CB55	49
MK-RB001	50
MK-CB30	51
MK-CBK1	52
MK-CB006	55
MK-RB007	56
MK-RB008	57
MK-CB008	58
MK-RB015	59
MK-CB015	59
MK-RB009	60
MK-RB010	60
MK-RB011	60
ACCESSORIES	61

OTHER

ARROWS	63
SLINGSHOTS	69
BLOWGUNS	73
BATONS	75



MAN KUNG

Established in 1988, the Man Kung Company is dedicated to the design and manufacture of a wide range of crossbows, bows and related products.

Since the company was established, we have always been dedicated to the research and development of new products to meet current market demands.

Insisting on quality is a tradition at Man Kung. Man Kung's outstanding quality has won us a high reputation from both domestic and international customers.

In addition, we have a strong commitment for providing customers with the most competitive prices and fast delivery. These have established Man Kung as a dependable brand name in both domestic and foreign markets.

Man Kung Enterprise Co., Ltd.

CROSSBOWS

WWW.ARCHERY-MANUFACTURER.COM



MIK-XB56

175 LBS COMPOUND CROSSBOW

MK-XB56BK ■ BLACK MK-XB56GODC ■ GOD CAMO

NEW

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB56GODC
■ GOD CAMO



MK-XB56BK
■ BLACK

SPECIFICATIONS

At only **13.8"** axle-to-axle (when cocked)

375 FEET PER SECOND
18" AXLE TO AXLE
35.25-38.5" LENGTH FOOTCLAW TO STOCK
14" POWER STROKE
7.5 LBS WEIGHT
175 LBS DRAW WEIGHT

- > **SCOPE MOUNT**
PICATINNY RAIL
- > **BARREL**
CNC MACHINED
- > **CAM SETS**
CNC MACHINED CAMS
- > **STOCK**
COMPOSITE / ADJUSTABLE STOCK

OPTIONAL

- 4x 32 SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 20" ALUM.BOLT
- WAX



185 LBS COMPOUND CROSSBOW

MK-XB55BK ■ BLACK MK-XB55GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB55GODC
■ GOD CAMO



MK-XB55BK
■ BLACK

SPECIFICATIONS

378	FEET PER SECOND
21.5"	AXLE TO AXLE
36"	LENGTH FOOTCLAW TO STOCK
14"	POWER STROKE
7.72 LBS	WEIGHT
185 LBS	DRAW WEIGHT

OPTIONAL

- 4x 32 SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 20" ALUM.BOLT
- WAX

- > SCOPE MOUNT
PICATINNY RAIL
- > RISER
CNC MACHINED
- > BARREL
CNC MACHINED
- > CAM SETS
CNC MACHINED CAMS
- > STOCK
COMPOSITE / ADJUSTABLE STOCK



185 LBS COMPOUND CROSSBOW

MK-XB53BK ■ BLACK MK-XB53GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB53GODC
■ GOD CAMO



MK-XB53BK
■ BLACK

SPECIFICATIONS

378 FEET PER SECOND
21.5" AXLE TO AXLE
36 1/4" LENGTH FOOTCLAW TO STOCK
13.5" POWER STROKE
7.34 LBS WEIGHT
185 LBS DRAW WEIGHT

OPTIONAL

4x 32 SCOPE
COCKING ROPE
QUIVER
SLING
4PCS OF 20" ALUM.BOLT
WAX

> **SCOPE MOUNT**
PICATINNY RAIL
> **RISER**
CNC MACHINED
> **STOCK**
COMPOSITE STOCK
> **CAM SETS**
CNC MACHINED CAMS

185 LBS COMPOUND CROSSBOW

MK-XB52BK ■ BLACK MK-XB52GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB52GODC
■ GOD CAMO



MK-XB52BK
■ BLACK

SPECIFICATIONS

378	FEET PER SECOND
21.5"	AXLE TO AXLE
36"	LENGTH FOOTCLAW TO STOCK
14"	POWER STROKE
7.65 LBS	WEIGHT
185 LBS	DRAW WEIGHT

OPTIONAL

- 4x 32 SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 20" ALUM.BOLT
- WAX

- > SCOPE MOUNT
PICATINNY RAIL
- > RISER
CNC MACHINED
- > BARREL
CNC MACHINED
- > CAM SETS
CNC MACHINED CAMS
- > STOCK
COMPOSITE / ADJUSTABLE STOCK



175 LBS COMPOUND CROSSBOW

MK-400BK ■ BLACK MK-400GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-400GODC
■ GOD CAMO



MK-400BK
■ BLACK

SPECIFICATIONS

368 FEET PER SECOND
23" AXLE TO AXLE
35" LENGTH
15" POWER STROKE
8.67 LBS WEIGHT
175 LBS DRAW WEIGHT

OPTIONAL

4x 32 SCOPE
COCKING ROPE
QUIVER
SLING
4PCS OF 20" ALUM.BOLT
WAX

★ 20" Carbon bolt recommended

- > LIMB
FIBERGLASS
- > RISER
CNC MACHINED
- > BARREL
CNC MACHINED
- > CAM SETS
CNC MACHINED CAMS
- > STOCK
COMPOSITE STOCK

MK-380

GLADIATOR

175 LBS COMPOUND CROSSBOW

MK-380BK ■ BLACK MK-380GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-380GODC
■ GOD CAMO



MK-380BK
■ BLACK

SPECIFICATIONS

368 FEET PER SECOND
23" AXLE TO AXLE
35" LENGTH
15" POWER STROKE
8.23 LBS WEIGHT
175 LBS DRAW WEIGHT

OPTIONAL

4x 32 SCOPE
COCKING ROPE
QUIVER
SLING
4PCS OF 20" ALUM.BOLT
WAX

★ 20" Carbon bolt **recommended**

- > **LIMB**
FIBERGLASS
- > **RISER**
CNC MACHINED
- > **BARREL**
CNC MACHINED
- > **CAM SETS**
CNC MACHINED CAMS
- > **STOCK**
COMPOSITE STOCK

150 LBS COMPOUND CROSSBOW

MK-350BK ■ BLACK MK-350GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-350GODC
■ GOD CAMO



MK-350BK
■ BLACK

SPECIFICATIONS

325	FEET PER SECOND
22"	AXLE TO AXLE
33"	LENGTH
14.5"	POWER STROKE
7.92 LBS	WEIGHT
150 LBS	DRAW WEIGHT

OPTIONAL

- 4x 32 SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 20" ALUM.BOLT
- WAX

★ 20" Carbon bolt recommended

- > RISER
CNC MACHINED
- > LIMB
FIBERGLASS
- > CAM SETS
CNC MACHINED CAMS
- > STOCK
COMPOSITE STOCK



FOLDABLE FORE GRIP

MK-300

MK-XB001

175 LBS COMPOUND CROSSBOW

150 LBS COMPOUND CROSSBOW



MK-300GODC
GOD CAMO

MK-XB001GODC
GOD CAMO

- > BARREL ALUM.BARREL
- > STOCK COMPOSITE STOCK
- > LIMB FIBERGLASS LIMB
- > RISER CNC MACHINED
- > CAM SETS CNC MACHINED CAMS

- > BARREL ALUM.BARREL
- > LIMB FIBERGLASS LIMB
- > STOCK COMPOSITE STOCK

20" (Ø9mm)ALUM. bolt **recommended**

20" (Ø9mm)ALUM. bolt **recommended**



SPECIFICATIONS

★ Patented Trigger Technology-Dry Fire-Inhibitor

MK-300
BLACK

SPECIFICATIONS

MK-XB001B
BLACK

285 FEET PER SECOND **36.5"** LENGTH **7.48 LBS** WEIGHT
27.5" AXLE TO AXLE **11.5"** POWER STROKE **175 LBS** DRAW WEIGHT

248 FEET PER SECOND **36"** LENGTH **7.37 LBS** WEIGHT
28" AXLE TO AXLE **12.5"** POWER STROKE **150 LBS** DRAW WEIGHT

175 LBS RECURVE CROSSBOW

MK-XB23BK ■ BLACK MK-XB23GODC ■ GOD CAMO

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB23GODC
■ GOD CAMO



MK-XB23BK
■ BLACK

SPECIFICATIONS

245	FEET PER SECOND
26"	WIDTH
33"	LENGTH FOOTCLAW TO STOCK
18.5"	POWER STROKE
4.95 LBS	WEIGHT
175 LBS	DRAW WEIGHT

OPTIONAL

- 3 RED DOT SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 16" ALUM.BOLT
- WAX
- STRINGER

- > SCOPE MOUNT
- PICATINNY RAIL
- > STOCK
- COMPOSITE STOCK

175 LBS RECURVE CROSSBOW

MK-XB21BK ■ BLACK MK-XB21GODC ■ GOD CAMO



MK-XB21GODC
■ GOD CAMO



MK-XB21BK
■ BLACK

SPECIFICATIONS

245	FEET PER SECOND
26"	WIDTH
38.5	LENGTH FOOTCLAW TO STOCK
18.5"	POWER STROKE
4.6 LBS	WEIGHT
175 LBS	DRAW WEIGHT

OPTIONAL

- 3 RED DOT SCOPE
- COCKING ROPE
- QUIVER
- SLING
- 4PCS OF 16" ALUM.BOLT
- WAX
- STRINGER

- > **SCOPE MOUNT**
PICATINNY RAIL
- > **STOCK**
COMPOSITE / ADJUSTABLE STOCK



ADJUSTABLE STOCK

MK-175

MK-150A1

160 LBS RECURVE CROSSBOW



MK-175GODC
GOD CAMO

- > BARREL ALUM.BARREL
- > LIMB FIBERGLASS LIMB
- > STOCK COMPOSITE STOCK

16" (Ø9mm)ALUM. bolt **recommended**



MK-175
BLACK

SPECIFICATIONS

210 FEET PER SECOND
34.5" LENGTH
26.5" WIDTH
18.5" POWER STROKE

5.85 LBS WEIGHT
160 LBS DRAW WEIGHT

150 LBS RECURVE CROSSBOW



> STOCK WOOD STOCK
MK-150A1
WOOD

- > BARREL ALUM.BARREL
- > LIMB FIBERGLASS LIMB

16" (Ø9mm)ALUM. bolt **recommended**



> STOCK COMPOSITE STOCK
MK-150A1PB
BLACK

SPECIFICATIONS

210 FEET PER SECOND
34" LENGTH
26" WIDTH
11" POWER STROKE

5.61 LBS WEIGHT
150 LBS DRAW WEIGHT

MK-150A1

MK-150A1H

150 LBS RECURVE CROSSBOW

150 LBS RECURVE CROSSBOW



> STOCK
WOOD STOCK

MK-150A1AC
AUTUMN CAMO

> BARREL
ALUM.BARREL

> LIMB
FIBERGLASS LIMB

16" (Ø9mm)ALUM. bolt **recommended**



> STOCK
WOOD STOCK

MK-150A1TC
CAMO

SPECIFICATIONS

210 FEET PER SECOND
26" WIDTH
34" LENGTH
11" POWER STROKE

5.61 LBS WEIGHT
150 LBS DRAW WEIGHT

> BARREL
ALUM.BARREL

> LIMB
FIBERGLASS LIMB

> STOCK
WOOD STOCK



MK-150A1H
WOOD

SPECIFICATIONS

16" (Ø9mm)ALUM. bolt **recommended**

210 FEET PER SECOND
26" WIDTH
26.5" LENGTH
11" POWER STROKE

4.18 LBS WEIGHT
150 LBS DRAW WEIGHT

MK-150A2

MK-180

150 LBS RECURVE CROSSBOW

130 LBS FOLDABLE CROSSBOW



MK-150A2AC
AUTUMN CAMO

MK-180
BLACK

● CLOSE

- > BARREL ALUM.BARREL
- > LIMB FIBERGLASS LIMB
- > STOCK ALUMINUM STOCK

- > BARREL ALUM.BARREL
- > LIMB FIBERGLASS LIMB
- > STOCK COMPOSITE STOCK

16" (Ø9mm)ALUM. bolt **recommended**

14" (Ø8mm)ALUM. bolt **recommended**



SPECIFICATIONS

MK-150A2
BLACK

SPECIFICATIONS

MK-180AC
AUTUMN CAMO

210 FEET PER SECOND
26" WIDTH
34" LENGTH
11" POWER STROKE

5.61 LBS WEIGHT
150 LBS DRAW WEIGHT

165 FEET PER SECOND
29" WIDTH
31" LENGTH
18" POWER STROKE

5.43 LBS WEIGHT
130 LBS DRAW WEIGHT

MK-120

120 LBS RECURVE CROSSBOW



MK-120AC
AUTUMN CAMO

- > **BARREL**
ALUM. BARREL
- > **LIMB**
FIBERGLASS LIMB
- > **STOCK**
COMPOSITE STOCK

14" (Ø8mm)ALUM. bolt **recommended**



MK-120
BLACK

SPECIFICATIONS

185	FEET PER SECOND	31"	LENGTH	3.63 LBS	WEIGHT
26"	WIDTH	11.5"	POWER STROKE	120 LBS	DRAW WEIGHT

MK-80A4AL

ALUMINUM | MK-80A4AL

80 LBS SELF COCKING CROSSBOW

6.5" Alum. bolt **recommended**

- > **BARREL**
ALUM. BARREL
- > **LIMB**
FIBERGLASS LIMB

SPECIFICATIONS

168	FEET PER SECOND
16.5"	WIDTH
28"	LENGTH
6.8"	POWER STROKE
1.98 LBS	WEIGHT
80 LBS	DRAW WEIGHT



MK-80A4PL

PLASTIC | MK-80A4PL

80 LBS SELF COCKING CROSSBOW

6.5" Alum. bolt **recommended**

- > **BARREL**
PLASTIC BARREL
- > **LIMB**
FIBERGLASS LIMB

SPECIFICATIONS

168	FEET PER SECOND
16.5"	WIDTH
28"	LENGTH
6.8"	POWER STROKE
1.32 LBS	WEIGHT
80 LBS	DRAW WEIGHT



MK-80A3

ALUMINUM | MK-80A3

80 LBS SMALL SIZE CROSSBOW

6.5" Alum. bolt **recommended**

- > BARREL ALUM. BARREL
- > LIMB FIBERGLASS LIMB

SPECIFICATIONS

168	FEET PER SECOND
16.5"	WIDTH
17"	LENGTH
5"	POWER STROKE
1.62 LBS	WEIGHT
88 LBS	DRAW WEIGHT



MK-50A2/5PL

ALUMINUM | MK-50A2/5PL

50 LBS SMALL SIZE CROSSBOW

6.5" Plastic bolt **recommended**

- > BARREL ALUM. BARREL
- > LIMB METAL LIMB

SPECIFICATIONS

158	FEET PER SECOND
16.5"	WIDTH
12.8"	LENGTH
5"	POWER STROKE
1.43LBS	WEIGHT
58 LBS	DRAW WEIGHT



MK-80A1

PLASTIC | MK-80A1

80 LBS SMALL SIZE CROSSBOW

6.5" Alum. bolt **recommended**

- > BARREL PLASTIC BARREL
- > LIMB FIBERGLASS LIMB

SPECIFICATIONS

168	FEET PER SECOND
16.5"	WIDTH
17"	LENGTH
5"	POWER STROKE
1.85 LBS	WEIGHT
88 LBS	DRAW WEIGHT



MK-50A1/5PL

PLASTIC | MK-50A1/5PL

50 LBS SMALL SIZE CROSSBOW

6.5" Plastic bolt **recommended**

- > BARREL PLASTIC BARREL
- > LIMB METAL LIMB

SPECIFICATIONS

158	FEET PER SECOND
16.5"	WIDTH
12.8"	LENGTH
5"	POWER STROKE
0.88 LBS	WEIGHT
58 LBS	DRAW WEIGHT



ACCESSORIES



01 02 03 04 05 06



07 08 09



10 11 12



13 14 15



16 17 18



19 20 21 22

ITEM NO.


- 01 MK-50B 50 LBS Metal bow for MK-50 series crossbow
- 02 MK-80B 80 LBS Fiberglass compression bow for MK-80 series crossbow
- 03 MK-120B 120 LBS Fiberglass compression bow for MK-120 series crossbow
- 04 MK-150B 150 LBS Fiberglass compression bow for MK-150 series crossbow
- 05 MK-160B 130 LBS Fiberglass compression bow for MK-160 series crossbow
- 06 MK-175B 160 LBS Fiberglass limb for MK-175 crossbow
- 07 MK-180B 130 LBS Fiberglass compression bow for MK-180 series crossbow
- 08 MK-250B 150 LBS Fiberglass compression bow for MK-250 series crossbow
- 09 MK-300B 175 LBS Fiberglass limb for MK-300 crossbow (4 pcs / set)
- 10 MK-CS Cocking String
- 11 MK-3BAL 3-Blade Broadhead (3 pcs / card)

ITEM NO.


- 12 MK-4BAL 4-Blade Broadhead (3 pcs / card)
- 13 MK-250Q-BK 6-Arrow Quiver - Black
- 14 MK-250Q-AC 6-Arrow Quiver - Autumn Camo
- 15 MK-250Q-GODC 6-Arrow Quiver - God Camo
- 16 MK-4X32 4x32 Scope
- 17 MK-RS 3 Red dot sight scope
- 18 MK-RL Rail Lube / wax
- 19 MK-350Q-GODC 4-Arrow Quiver - God Camo
- 20 MK-350Q-AC 4-Arrow Quiver - Autumn Camo
- 21 MK-350Q-GC 4-Arrow Quiver - Green Camo
- 22 MK-350Q-BK 4-Arrow Quiver - Black

WWW.ARCHERY-MANUFACTURER.COM

ACCESSORIES



23



24



25



26



27




28



29



30



31



32



33

ITEM NO.

23	MK-SS	Stringer for Recurve Crossbow
24	MK-SL	Sling
25	MK-50S	String for MK-50 series crossbow
26	MK-80S	String for MK-80 series crossbow
27	MK-150S	String for MK-150, MK-120, MK-160 series crossbow
28	MK-180S	String for MK-180 series crossbow
29	MK-250S	String for MK-250 series crossbow

ITEM NO.

30	MK-175S	String for MK-175 crossbow
31	MK-250C	Cable set for MK-250 series crossbow
32	MK-300C	Buss Cable for MK-300 crossbow (2 pcs / set)
33	MK-300S	String for MK-300 crossbow

WWW.ARCHERY-MANUFACTURER.COM

ARCHERY

BOWS

70 LBS COMPOUND BOW

MK-CBA2BK ■ BLACK MK-CBA2GODC ■ GOD CAMO

> CAM SETS
CNC MACHINED CAMS

> RISER
ALUMINUM



★ Cam system has aluminum alloy, produces speeds up to 300 fps.

LET OFF **70~80 %**

NEW



SPECIFICATIONS

300 FEET PER SECOND
30" AXLE TO AXLE

7" BRACE HEIGHT
19-31" DRAW LENGTH

4.1 LBS WEIGHT
15-70 LBS DRAW WEIGHT

MK-CBA2BK
■ BLACK

MK-CBA2GODC
■ GOD CAMO

MK-CB75

BASILISK

MAN KUNG - ARCHERY BOW

WWW.ARCHERY-MANUFACTURER.COM

70 LBS COMPOUND BOW

MK-CB75B ■ BLACK MK-CB75GODC ■ GOD CAMO

> RISER
ALUMINUM



OPTIONAL

- FIBER OPTIC SIGHT
- DROP AWAY ARROW REST
- RELEASE AID
- D STRING LOOP
- PEEP SIGHT
- WAX
- 2PCS-30"2019 ALUM.ARROW

SPECIFICATIONS

295	FEET PER SECOND	7.5"	BRACE HEIGHT	4.4 LBS	WEIGHT
31.5"	AXLE TO AXLE	25-31"	DRAW LENGTH	30-70 LBS	DRAW WEIGHT

LET OFF 75~80%



MK-CB75B
■ BLACK



MK-CB75GODC
■ GOD CAMO

★ 30" Carbon arrow & 30" Aluminum arrow recommended

55 LBS COMPOUND BOW

LET OFF **70%**

MK-CB50BK ■ BLACK MK-CB50GODC ■ GOD CAMO MK-CB50G ■ GREEN

- > **LIMB**
COMPRESSION MOLDED
FIBERGLASS LIMB
- > **RISER**
ALUMINUM



OPTIONAL

- FIBER OPTIC SIGHT
- DROP AWAY ARROW REST
- RELEASE AID
- D STRING LOOP
- PEEP SIGHT
- WAX
- 2PCS-30"2018 ALUM.ARROW

MK-CB50BK
■ BLACK



MK-CB50G
■ GREEN



MK-CB50GODC
■ GOD CAMO

SPECIFICATIONS

296	FEET PER SECOND	7"	BRACE HEIGHT	3.3 LBS	WEIGHT
28"	AXLE TO AXLE	19-29"	DRAW LENGTH	30-55 LBS	DRAW WEIGHT

MK-CB55

MK-RB001 APOLLO

MAN KUNG - ARCHERY BOW

WWW.ARCHERY-MANUFACTURER.COM

50

55 LBS COMPOUND BOW

MK-CB55B ■ BLACK MK-CB55GODC ■ GOD CAMO

LET OFF **78%**



MK-CB55B
■ BLACK



MK-CB55GODC
■ GOD CAMO

SPECIFICATIONS

30" Carbon arrow & Aluminum arrow **recommended**

228 FEET PER SECOND
41.5" AXLE TO AXLE

7.5" BRACE HEIGHT
27-29" DRAW LENGTH

4 LBS WEIGHT
48-55 LBS DRAW WEIGHT

40 LBS RECURVE BOW

MK-RB001BK ■ BLACK MK-RB001 □ WHITE



MK-RB001BK
■ BLACK



MK-RB001
□ WHITE

SPECIFICATIONS

★ 30" Carbon & Aluminum arrow **recommended**

178 FEET PER SECOND
61" LENGTH

7.5" BRACE HEIGHT
28" DRAW LENGTH

3.6 LBS WEIGHT
48 LBS DRAW WEIGHT

MK-CB30 SONIC

29 LBS COMPOUND BOW

MK-CB30BK ■ BLACK MK-CB30G ■ GREEN

> RISER ALUMINUM > LIMB COMPRESSION MOLDED FIBERGLASS LIMB

LET OFF **65%**



MK-CB30BK
■ BLACK

MK-CB30G
■ GREEN

SPECIFICATIONS

WITH: 2PCS OF 26" FIBERGLASS ARROW, ARMGUARD, QUIVER, FINGER TAB, ARROW REST, SIGHT PIN.

129

FEET PER SECOND

7.5"

BRACE HEIGHT

2.2 LBS

WEIGHT

32"

AXLE TO AXLE

24-26"

DRAW LENGTH

19-29 LBS

DRAW WEIGHT

DEFORA
BESRA



MK-CBK1

MK-CBK1

BESRA

MAN KUNG - ARCHERY BOW

WWW.ARCHERY-MANUFACTURER.COM

54

NEW

25 LBS COMPOUND BOW

MK-CBK1-BK ■ BLACK MK-CBK1-OR ■ ORANGE MK-CBK1-G ■ GREEN



MK-CBK1
■ BLACK



MK-CBK1-OR
■ ORANGE



MK-CBK1-G
■ GREEN

SPECIFICATIONS

6"
25"

BRACE HEIGHT
AXLE TO AXLE

19-20.5"
19-25 LBS

DRAW LENGTH
DRAW WEIGHT


20 LBS COMPOUND BOW SET

MK-CB006B ■ BLACK MK-CB006AC ■ AUTUMN CAMO

> RISER > LIMB
PLASTIC PLASTIC

CABLE WIRE STRING

LET OFF 65%



20 LBS RECURVE BOW SET

MK-RB007B ■ BLACK MK-RB007AC ■ AUTUMN CAMO

> RISER > LIMB
PLASTIC PLASTIC



SPECIFICATIONS

26" & 28" Wood or Fiberglass arrow **recommended**

85	FEET PER SECOND	7.5"	BRACE HEIGHT	1.76 LBS	WEIGHT
31"	AXLE TO AXLE	22"	DRAW LENGTH	20 LBS	DRAW WEIGHT

SPECIFICATIONS


26" & 28" Wood or Fiberglass arrow **recommended**

85	FEET PER SECOND	7.5"	BRACE HEIGHT	1.65 LBS	WEIGHT
46"	LENGTH	24"	DRAW LENGTH	20 LBS	DRAW WEIGHT

15 LBS RECURVE BOW SET

MK-RB008BK ■ BLACK MK-RB008-OR ■ ORANGE


> RISER PLASTIC > LIMB FIBERGLASS



10 LBS COMPOUND BOW SET

MK-CB008BK ■ BLACK MK-CB008-OR ■ ORANGE

> RISER PLASTIC > LIMB FIBERGLASS



SPECIFICATIONS

26" & 28" Wood or Fiberglass arrow **recommended**

75 FEET PER SECOND
44" LENGTH
15 LBS DRAW WEIGHT
24" DRAW LENGTH
1.03 LBS WEIGHT

SPECIFICATIONS

26" & 28" Wood or Fiberglass arrow **recommended**

70 FEET PER SECOND
34" AXLE TO AXLE
60% LET OFF
24" DRAW LENGTH
1.1 LBS WEIGHT
10 LBS DRAW WEIGHT

MK-RB015

18 LBS RECURVE BOW SET



> RISER PLASTIC > LIMB FIBERGLASS

MK-CB015

12 LBS COMPOUND BOW SET



> RISER PLASTIC > LIMB FIBERGLASS

MK-RB009

10 LBS RECURVE BOW



26" and 28" Wood or Fiberglass arrow **recommended**

MK-RB010

15 LBS RECURVE BOW



26" and 28" Wood or Fiberglass arrow **recommended**

MK-RB011

15 LBS RECURVE BOW



30" Wood or Fiberglass arrow **recommended**

SPECIFICATIONS

26" & 28" Wood or Fiberglass arrow **recommended**

44" LENGTH
80 FEET PRE SECOND
18 LBS DRAW WEIGHT
24" DRAW LENGTH

34" AXLE TO AXLE
75 FEET PRE SECOND
12 LBS DRAW WEIGHT
24" DRAW LENGTH

SPECIFICATIONS

36"/44"/51" LENGTH
22"/24"/28" DRAW LENGTH
65/80/85 FEET PRE SECOND

0.35 LBS / 0.63 LBS / 0.88 LBS WEIGHT
10 LBS / 15 LBS / 15 LBS DRAW WEIGHT


ACCESSORIES



STRINGS FOR ARCHERY



CABLE FOR ARCHERY



ITEM NO.

01	MK-BQ/AC	4-Arrow quiver for MK-CB009 / MK-CB006 / MK-RB007 Bows
02	MK-BQ/BK	4-Arrow quiver for MK-CB009 / MK-CB006 / MK-RB007 Bows
03	MK-AR	Arrow rest (2 pcs / Card)
04	MK-RA	Adjustable release aid
05	VANE-2.5"	2.5"vane for bolt (9 pcs / bag)
06	VANE-3.0"	3.0"vane for bolt (9 pcs / bag)
07	MK-AR-NEW	Drop away arrow rest
08	MK-SIGHT	Sight with 3 pin
09	MK-SR	Stabilizer
10	MK-CBS55	String for MK-CB55
11	MK-CBS75	String for MK-CB75(2 pcs / set)

ITEM NO.

12	MK-CBS009	String for MK-CB009(3 strings / set)
13	MK-RBS007	String for MK-RB007
14	MK-RBS008	String for MK-RB008
15	MK-RBS009	String for MK-RB009
16	MK-RBS010	String for MK-RB010
17	MK-RBS011	String for MK-RB011
18	MK-CBC55	Cam + Cable wire for MK-CB55
19	MK-CBC75	Buss cable for MK-CB75 (2 pcs / set)
20	MK-CBC006	Cam + Cable wire for MK-CB006
21	MK-CBC008	Cam + String for MK-CB008
22	MK-CBC010	Cam + Cable wire for MK-CB010

WWW.ARCHERY-MANUFACTURER.COM



ARROWS

ARROWS

MAN KUNG - ARROW

NEW



MK-CA20/6P | 20" CARBON BOLTS (6 pcs Box Pack)



MK-CA30/6P | 30" CARBON ARROWS (6 pcs Box Pack)

ARROWS



6 PCS / CARD



12 PCS / CARD



12 PCS / CARD




ALUMINUM BOLT




ALUMINUM BOLT



CARBON BOLT



3 PCS / CARD



WOODEN ARROW



FIBERGLASS ARROW



ALUMINUM ARROW



CARBON ARROW (28")



CARBON ARROW (30")

BOLT

ITEM NO.

SPECS

PACKAGING

ALUMINUM BOLT

MK-AL14-BK	2018-14" (Ø8mm) Black	
MK-AL14-R	2018-14" (Ø8mm) Red	
MK-AL16-BK	2219-16" (Ø9mm) Black	
MK-AL16-R	2219-16" (Ø9mm) Red	
MK-AL20-BK	2219-20" (Ø9mm) Black	
MK-AL20-R	2219-20" (Ø9mm) Red	
MK-AL14/6BK	2018-14" (Ø8mm) Black	6 pcs / card
MK-AL14/6R	2018-14" (Ø8mm) Red	6 pcs / card
MK-AL16/6BK	2219-16" (Ø9mm) Black	6 pcs / card
MK-AL16/6R	2219-16" (Ø9mm) Red	6 pcs / card
MK-AL20/6BK	2219-20" (Ø9mm) Black	6 pcs / card
MK-AL20/6R	2219-20" (Ø9mm) Red	6 pcs / card

CARBON BOLT

MK-CA20	20"
MK-CA22	22"

PISTAL CROSSBOW

MK-AL	6.5" Aluminum bolt	12 pcs / card
MK-PL-Y	6.5" Plastic bolt Yellow	12 pcs / card
MK-PL-O	6.5" Plastic bolt Orange	12 pcs / card
MK-PL-BL	6.5" Plastic bolt Blue	12 pcs / card
MK-PL-BK	6.5" Plastic bolt Black	12 pcs / card
MK-PL-3C	6.5" Plastic bolt Assorted color	12 pcs / card

ARROW

ITEM NO.

SPECS

PACKAGING

WOODEN ARROW

MK-W26	26" (Ø8MM)	
MK-W28	28" (Ø8MM)	
MK-W29	29" (Ø8MM)	
MK-W30	30" (Ø8MM)	
MK-W26-C	26" (Ø8MM)	3 pcs / card
MK-W28-C	28" (Ø8MM)	3 pcs / card
MK-W29-C	29" (Ø8MM)	3 pcs / card
MK-W30-C	30" (Ø8MM)	3 pcs / card

FIBERGLASS ARROW

MK-FA26	26" (Ø6.9mm)	
MK-FA28	28" (Ø6.9mm)	
MK-FA30	30" (Ø6.9mm)	
MK-FA26-C	26" (Ø6.9mm)	3 pcs / card
MK-FA28-C	28" (Ø6.9mm)	3 pcs / card
MK-FA30-C	30" (Ø6.9mm)	3 pcs / card

ALUMINUM ARROW

MK-AAL29	1916-29" (Ø7.6mm)	
MK-AAL30	1018-30" (Ø8mm)	
MK-AAL30-2219	2219-30" (Ø9mm)	
MK-AAL29-C	1916-29" (Ø7.6mm)	3 pcs / card
MK-AAL30-C	2018-30" (Ø8mm)	3 pcs / card

CARBON ARROW

MK-CA28	28" (Ø7.5mm)
MK-CA30	30" (Ø7.5mm)


SLINGSHOTS

MK-SL0610



STEEL AMMO

RUBBER BAND



30 PCS/CARD

MK-TA
METAL AMMO



MK-TR-BL
BLUE



MK-TR-Y
YELLOW



MK-TR-O
ORANGE

SLINGSHOTS

MAN KUNG - SLINGSHOT



MK-SL06/BK



MK-SL06/BL



MK-T5



MK-T9 LARGE SIZE SLINGSHOT



MK-SL08/BL



MK-T1



MK-T11 LARGE SIZE SLINGSHOT

BLOWGUNS

MK-100AS



MK-100AS-36

36 pcs/Card



MK-100AS-100

100 pcs/Card

MK-100A



MK-100A-30 30 inches



MK-100A-40 40 inches



MK-100A-60 60 inches

BATONS



MK-NS-16 16" Baton foam handle



MK-NS-21 21" Baton foam handle



MK-NS-26 26" Baton foam handle



MK-NS-16F 16" Baton rubber handle



MK-NS-21F 21" Baton rubber handle



MK-NS-26F 26" Baton rubber handle



MK-NS-29F 29" Baton rubber handle



MK-NS-32F 32" Baton rubber handle



MK-LCH-602 Length 21 inches



SPECIFICATIONS

CROSSBOW

	FEET PER SECOND	WEIGHT	DRAW WEIGHT	POWER STROKE	LENGTH	WIDTH	AXLE TO AXLE
MK-XB56	375	7.5 lbs	175 lbs	14"	35.25~38.5"		18"
MK-XB55	370	7.72 lbs	185 lbs	14"	36"		21.5"
MK-XB53	370	7.34 lbs	185 lbs	13.5"	36 1/4"		21.5"
MK-XB52	370	7.65 lbs	185 lbs	14"	36"		21.5"
MK-XB23	245	4.95 lbs	175 lbs	10.5"	33"	26"	
MK-XB21	245	4.6 lbs	175 lbs	10.5"	30.5"	26"	
MK-XB001	248	7.37 lbs	150 lbs	12.5"	36"		28"
MK-400	360	8.67 lbs	175 lbs	15"	35"		23"
MK-380	360	8.23 lbs	175 lbs	15"	35"		23"
MK-350	325	7.92 lbs	150 lbs	14.5"	33"		22"
MK-300	285	7.48 lbs	175 lbs	11.5"	36.5"		27.5"
MK-175	210	5.85 lbs	160 lbs	10.5"	34.5"	26.5"	
MK-150A1	210	5.61 lbs	150 lbs	11"	34"	26"	
MK-150A1H	210	4.18 lbs	150 lbs	11"	26.5"	26"	
MK-150A2	210	5.61 lbs	150 lbs	11"	34"	26"	
MK-180	165	5.43 lbs	130 lbs	10"	31"	29"	
MK-120	185	3.63 lbs	120 lbs	11.5"	31"	26"	
MK-80A4PL	160	1.32 lbs	80 lbs	6.8"	20"	16.5"	
MK-80A4AL	160	1.98 lbs	80 lbs	6.8"	20"	16.5"	
MK-50A1/5PL	150	0.88 lbs	50 lbs	5"	12 4/5"	16.5"	
MK-50A2/5PL	150	1.43 lbs	50 lbs	5"	12 4/5"	16.5"	
MK-80A1	160	1.05 lbs	80 lbs	5"	17"	16.5"	
MK-80A3	160	1.62 lbs	80 lbs	5"	17"	16.5"	

ARCHERY BOW

	FEET PER SECOND	WEIGHT	DRAW WEIGHT	DRAW LENGTH	LENGTH	BRACE HEIGHT	AXLE TO AXLE	LET-OFF
MK-CBA2	300	4.1 lbs	15~70 lbs	19"~31"		7"	30"	70~80%
MK-CB30	129	2.2 lbs	19~29 lbs	24"~26"		7.5"	32"	65%
MK-CB50	296	3.3 lbs	30~55 lbs	19"~29"		7"	28"	70%
MK-CB55	220	4 lbs	40~55 lbs	27"~29"		7.5"	41.5"	70%
MK-CB75	295	4.4 lbs	30~70 lbs	25"~31"		7.5"	31.5"	75~80%
MK-CBK1			19~25 lbs	19"~20.5"		6"	25"	
MK-CB006	85	1.76 lbs	20 lbs	22"		7.5"	31"	65%
MK-RB001	170	3.6 lbs	40 lbs	28"	61"	7.5"		
MK-RB007	85	1.65 lbs	20 lbs	24"	46"	7.5"		
MK-CB015	75		12 lbs	24"	34"			60%
MK-RB015	80		18 lbs	24"	44"			
MK-CB008	70	1.1 lbs	10 lbs	24"			34"	60%
MK-RB008	75	1.03 lbs	15 lbs	24"	44"			
MK-RB009	65	0.35 lbs	10 lbs	22"	36"			
MK-RB010	80	0.63 lbs	15 lbs	24"	44"			
MK-RB011	85	0.88 lbs	15 lbs	28"	51"			

WWW.ARCHERY-MANUFACTURER.COM

Address: No.369, Xuetian Rd., Wuri Dist.,
Taichung City 414, Taiwan (R.O.C.)

Tel: 886-4-23360588

Fax: 886-4-23367399

E-mail: mk.mankung@msa.hinet.net

www.archery-manufacturer.com