



MAN KUNG
ARCHERY & CROSSBOW



ADDRESS: NO.369, XUETIAN RD., WURI DIST.,
TAICHUNG CITY 414, TAIWAN (R.O.C.)
TEL: 886-4-23360588
FAX: 886-4-23367399
E-MAIL: MK.MANKUNG@MSA.HINET.NET
©Copyright 2019 Man Kung Enterprise Co., Ltd.

2019 PRODUCT CATALOG

CONTENTS

CROSSBOWS


MK-XB58	09
MK-XB56	11
MK-XB86	13
MK-XB27	15
MK-XB55	17
MK-XB53	19
MK-XB52	21
MK-300	23
MK-XB001	24
MK-400	25
MK-380	26
MK-350	27
MK-XB25	28
MK-XB23	29
MK-XB21	30
MK-177	31
MK-150A1	32
MK-150A2	34
MK-180	35
MK-120	36
MK-TCS1	37
MK-TCS2	39
MK-80A4AL,MK-80A4PL	40
MK-80A3,MK-80A1	41
MK-50A2/5PL,MK-50A1/5PL	42
ACCESSORIES	43

ARCHERY BOWS

MK-CBA5	49
MK-CBA2	51
MK-CB50	53
MK-CB75	55
MK-CB30	56
MK-CB55	57
MK-RB001	58
MK-CBK1	59
MK-CB006	61
MK-RB007	62
MK-RB008	63
MK-CB008	64
MK-RB015	65
MK-CB015	65
MK-RB009	66
MK-RB010	66
MK-RB011	66
ACCESSORIES	67

OTHER

ARROWS	70
SLINGSHOTS	75
BLOWGUNS	78
BATONS	79





MAN KUNG
ARCHERY & CROSSBOW

THE WORLD-CLASS ARCHERY MANUFACTURING LEADER

Established in 1988, the Man Kung Company is dedicated to the design and manufacture of a wide range of crossbows, knives and related products.

Man Kung is specialized in crossbow, archery bow, toy archery, slingshot, blowgun, baton, and other bow accessories. We have always been dedicated to the research and development of new products to meet current market demands.

Man Kung's outstanding quality has won us a high reputation from both domestic and international customers.

Man Kung's permanent makeup supply has obtained diverse certifications, welcome to contact them for more permanent makeup supply specifications.

OEM or ODM orders are welcome and Man Kung would be your best partner in the future.

January 01,2019

CONSTANT INNOVATION AND RESEARCH

We have professional team of designers make the innovative thoughts happen and the qualified technology present, and it all serves as our glory and mission.



CROSSBOWS

HIGH-PERFORMANCE CROSSBOWS

The real man craving for two different things: danger and game.

— Friedrich Wilhelm Nietzsche

MK-XB58

200 LBS COMPOUND CROSSBOW

The MK-XB58 delivers 405 feet per second from a draw weight of only 200lb. The XB-58 is a light narrow crossbow with string stoppers, pistol grip, adjustable stock and fore grip. The picatinny rail can also accommodate added accessories such as bipods and torches.

NEW



KRAKEN

★ *Patented Trigger Technology-Dry Fire-Inhibitor*



MK-XB58FC
 FOREST CAMO



MK-XB58BK
 BLACK

SPECIFICATIONS

405 FEET PER SECOND

DRAW WEIGHT	200 lbs
WEIGHT	7.8 lbs
POWER STROKE	14.5"
LENGTH FOOTCLAW TO STOCK	36-38.78"
AXLE TO AXLE	15.75"
<small>At only 12" axle-to-axle (when cocked)</small>	


SCOPE MOUNT	PICATINNY RAIL
BARREL	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE / ADJUSTABLE STOCK



MK-XB56

175 LBS COMPOUND CROSSBOW

The MK-XB56 Frost Wolf delivers 375 feet per second from a draw weight of only 175lb. The XB-56 Frost Wolf is a light narrow crossbow with string stoppers, AR pistol grip, adjustable stock/cheek piece and fore grip. The picatinny rail can also accommodate added accessories such as bipods and torches.



FROST WOLF

★ *Patented Trigger Technology-Dry Fire-Inhibitor*



MK-XB56FC
 FOREST CAMO



MK-XB56BK
 BLACK

SPECIFICATIONS

375 FEET PER SECOND

DRAW WEIGHT	175 lbs
WEIGHT	7.5 lbs
POWER STROKE	14"
LENGTH FOOTCLAW TO STOCK	35.25-38.5"
AXLE TO AXLE	18"

At only 13.8" axle-to-axle (when cocked)

SCOPE MOUNT	PICATINNY RAIL
BARREL	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE / ADJUSTABLE STOCK



MK-XB86

185 LBS COMPOUND CROSSBOW

The MK-XB86 delivers 370 feet per second from a draw weight of only 185lb.

The stock has a soft feel to it providing a comfortable shooting experience and the fore grip has built in finger guards to avoid contact with the string.

The MK-XB86 is light, narrow and with adjustable scope rail for added accuracy opportunity.

NEW

FIGHTER

- ★ *Patented Trigger Technology-Dry Fire-Inhibitor*
- ★ *20" Carbon bolt recommended*



MK-XB86DC
 DH CAMO



MK-XB86BK
 BLACK

SPECIFICATIONS

370 FEET PER SECOND

DRAW WEIGHT	185 lbs
WEIGHT	7.85 lbs
POWER STROKE	14"
LENGTH FOOTCLAW TO STOCK	37"
AXLE TO AXLE	21.5"

SCOPE MOUNT	PICATINNY RAIL
BARREL	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE STOCK

MK-XB27

175 LBS RECURVE CROSSBOW

The MK-XB27 is a professional and very powerful crossbow with a drawing weight of 175 lbs. This crossbow is very accurate even at long distances. The stock of this crossbow is adjustable in length.

★ 16" (Ø9mm) ALUM. bolt recommended

NEW



HOUND



ADJUSTABLE STOCK



MK-XB27GODC
 GOD CAMO



MK-XB27BK
 BLACK

SPECIFICATIONS

255 FEET PER SECOND

DRAW WEIGHT	175 lbs
WEIGHT	5.22 lbs
POWER STROKE	11"
LENGTH FOOTCLAW TO STOCK	30.7-32.28"
WIDTH	26"

SCOPE MOUNT	PICATINNY RAIL
STOCK	COMPOSITE / ADJUSTABLE STOCK

MK-XB55

185 LBS COMPOUND CROSSBOW

With an adjustable stock (rubber butt) and a soft feel barrel, pistol grip and fore grip providing a comfortable shooting experience. The fore grip has built in finger guards to avoid contact with the string.

The MK-XB55 is light, narrow with string stoppers and adjustable stock. Fitted with the new style ball bearing bolt retainer eliminating accidental bolt retaining spring damage when cocking.



HERCULES

★ *Patented Trigger Technology-Dry Fire-Inhibitor*



MK-XB55GODC
 GOD CAMO



MK-XB55BK
 BLACK

SPECIFICATIONS

370 FEET PER SECOND

DRAW WEIGHT	185 lbs
WEIGHT	7.72 lbs
POWER STROKE	14"
LENGTH FOOTCLAW TO STOCK	36"
AXLE TO AXLE	21.5"

SCOPE MOUNT	PICATINNY RAIL
RISER	CNC MACHINED
BARREL	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE / ADJUSTABLE STOCK



MK-XB53

185 LBS COMPOUND CROSSBOW

The MK-XB53 delivers 370 feet per second from a draw weight of only 185lb.

The stock has a soft feel to it providing a comfortable shooting experience and the fore grip has built in finger guards to avoid contact with the string.

The MK-XB53 is light, narrow and with adjustable scope rail for added accuracy opportunity.



VALIANT

★ *Patented Trigger Technology-Dry Fire-Inhibitor*



MK-XB53GODC
 GOD CAMO



MK-XB53BK
 BLACK

SPECIFICATIONS

370 FEET PER SECOND

DRAW WEIGHT	185 lbs
WEIGHT	7.34 lbs
POWER STROKE	13.5"
LENGTH FOOTCLAW TO STOCK	36 1/4"
AXLE TO AXLE	21.5"

SCOPE MOUNT	PICATINNY RAIL
RISER	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE STOCK



MK-XB52

185 LBS COMPOUND CROSSBOW

The MK-XB52 is a light narrow crossbow with string stoppers, AR pistol grip, adjustable stock and fore grip which can be fitted anywhere along the full length picatinny rail. The picatinny rail can also accommodate added accessories such as bipods and torches. Fitted with the new style ball bearing bolt retainer eliminating accidental bolt retaining spring damage when cocking.

STALKER

★ *Patented Trigger Technology-Dry Fire-Inhibitor*



MK-XB52FC
 FOREST CAMO



MK-XB52BK
 BLACK

SPECIFICATIONS

370 FEET PER SECOND

DRAW WEIGHT	185 lbs
WEIGHT	7.65 lbs
POWER STROKE	14"
LENGTH FOOTCLAW TO STOCK	36"
AXLE TO AXLE	21.5"

SCOPE MOUNT	PICATINNY RAIL
RISER	CNC MACHINED
BARREL	CNC MACHINED
CAM SETS	CNC MACHINED CAMS
STOCK	COMPOSITE / ADJUSTABLE STOCK

MK-300

175 LBS COMPOUND CROSSBOW

- ★ Patented Trigger Technology-Dry Fire-Inhibitor
- ★ 20" (Ø9mm) ALUM. bolt recommended



MK-300GDC

■ GOD CAMO

FEET PER SECOND	285	RISER	CNC MACHINED
DRAW WEIGHT	175 lbs	BARREL	ALUM. BARREL
WEIGHT	7.48 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	11.5"	STOCK	COMPOSITE STOCK
LENGTH	36.5"	CAM SETS	CNC MACHINED CAMS
AXLE TO AXLE	27.5"		



MK-300

■ BLACK

MK-XB001

150 LBS COMPOUND CROSSBOW

- ★ 20" (Ø9mm) ALUM. bolt recommended



MK-XB001B

■ BLACK

FEET PER SECOND	248	BARREL	ALUM. BARREL
DRAW WEIGHT	150 lbs	LIMB	FIBERGLASS LIMB
WEIGHT	7.37 lbs	STOCK	COMPOSITE STOCK
POWER STROKE	12.5"		
LENGTH	36"		
AXLE TO AXLE	28"		



MK-XB001GDC

■ GOD CAMO

MK-400

175 LBS COMPOUND CROSSBOW

- ★ Patented Trigger Technology-Dry Fire-Inhibitor
- ★ 20" Carbon bolt recommended



MK-400GODC

■ GOD CAMO

FEET PER SECOND	360	RISER	CNC MACHINED
DRAW WEIGHT	175 lbs	BARREL	CNC MACHINED
WEIGHT	8.67 lbs	CAM SETS	CNC MACHINED CAMS
POWER STROKE	15"	LIMB	FIBERGLASS LIMB
LENGTH	35"	STOCK	COMPOSITE STOCK
AXLE TO AXLE	23"		



MK-400BK

■ BLACK

ARES

MK-380

175 LBS COMPOUND CROSSBOW

- ★ Patented Trigger Technology-Dry Fire-Inhibitor
- ★ 20" Carbon bolt recommended



MK-380GODC

■ GOD CAMO

FEET PER SECOND	360	RISER	CNC MACHINED
DRAW WEIGHT	175 lbs	BARREL	CNC MACHINED
WEIGHT	8.23 lbs	CAM SETS	CNC MACHINED CAMS
POWER STROKE	15"	STOCK	COMPOSITE STOCK
LENGTH	35"	LIMB	FIBERGLASS LIMB
AXLE TO AXLE	23"		



MK-380BK

■ BLACK

MK-350

HURRICANE

150 LBS COMPOUND CROSSBOW

- ★ Patented Trigger Technology-Dry Fire-Inhibitor
- ★ 20" Carbon bolt recommended



FOLDABLE FORE GRIP

MK-350BK

■ BLACK

FEET PER SECOND	325	AXLE TO AXLE	22"
DRAW WEIGHT	150 lbs	LIMB	FIBERGLASS LIMB
WEIGHT	7.92 lbs	RISER	CNC MACHINED
POWER STROKE	14.5"	CAM SETS	CNC MACHINED CAMS
LENGTH	33"	STOCK	COMPOSITE STOCK



MK-350GODC

■ GOD CAMO

MK-XB25

SPECTER

175 LBS PRE-STRUNG CROSSBOW

- ★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB25BK

■ BLACK

FEET PER SECOND	260	WIDTH	27.5"
DRAW WEIGHT	175 lbs	SCOPE MOUNT	PICATINNY RAIL
WEIGHT	5.8 lbs	CAM SETS	CNC MACHINED CAMS
POWER STROKE	12"	STOCK	COMPOSITE / ADJUSTABLE STOCK
LENGTH FOOTCLAW TO STOCK	32-33.75"		



MK-XB25GODC

■ GOD CAMO

MK-XB23

ANACONDA

175 LBS RECURVE CROSSBOW

★ Patented Trigger Technology-Dry Fire-Inhibitor



MK-XB23GODC

■ GOD CAMO

FEET PER SECOND	245	POWER STROKE	10.5"
DRAW WEIGHT	175 lbs	WIDTH	26"
WEIGHT	4.95 lbs	SCOPE MOUNT	PICATINNY RAIL
LENGTH FOOTCLAW TO STOCK	33"	STOCK	COMPOSITE STOCK



MK-XB23BK

■ BLACK

MK-XB21

RIP CLAW

175 LBS RECURVE CROSSBOW



MK-XB21BK

■ BLACK

FEET PER SECOND	245	POWER STROKE	10.5"
DRAW WEIGHT	175 lbs	WIDTH	26"
WEIGHT	4.6 lbs	SCOPE MOUNT	PICATINNY RAIL
LENGTH FOOTCLAW TO STOCK	30.5"	STOCK	COMPOSITE / ADJUSTABLE STOCK



MK-XB21GODC

■ GOD CAMO

MK-177

160 LBS RECURVE CROSSBOW

★ 16" (Ø9mm) ALUM. bolt recommended

NEW



MK-177GDC

■ GOD CAMO

FEET PER SECOND	210	WIDTH	26.5"
DRAW WEIGHT	160 lbs	BARREL	ALUM. BARREL
WEIGHT	5.85 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10.5"	STOCK	COMPOSITE STOCK
LENGTH	34"		



MK-177BK

■ BLACK

SQUID

MK-150A1

150 LBS RECURVE CROSSBOW

★ 16" (Ø9mm) ALUM. bolt recommended



WOOD STOCK

MK-150A1

■ WOOD

FEET PER SECOND	210	WIDTH	26"
DRAW WEIGHT	150 lbs	BARREL	ALUM. BARREL
WEIGHT	5.61 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10.5"		
LENGTH	34"		



WOOD STOCK

MK-150A1AC

■ AUTUMN CAMO

MK-150A1

150 LBS RECURVE CROSSBOW

★ 16" (Ø9mm) ALUM. bolt recommended



WOOD STOCK

MK-150A1TC

■ CAMO

FEET PER SECOND	210	WIDTH	26"
DRAW WEIGHT	150 lbs	BARREL	ALUM.BARREL
WEIGHT	5.61 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10.5"		
LENGTH	34"		



COMPOSITE STOCK

MK-150A1PB

■ BLACK

MK-150A2

150 LBS RECURVE CROSSBOW

★ 16" (Ø9mm) ALUM. bolt recommended



MK-150A2AC

■ AUTUMN CAMO

FEET PER SECOND	210	WIDTH	26"
DRAW WEIGHT	150 lbs	BARREL	ALUM.BARREL
WEIGHT	5.61 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10.5"	STOCK	ALUMINUM STOCK
LENGTH	34"		



MK-150A2

■ BLACK

MK-180

130 LBS FOLDABLE CROSSBOW

★ 14" (Ø8mm) ALUM. bolt recommended



MK-180

■ BLACK

● CLOSE

FEET PER SECOND	165	WIDTH	29"
DRAW WEIGHT	130 lbs	BARREL	ALUM. BARREL
WEIGHT	5.43 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10"	STOCK	COMPOSITE STOCK
LENGTH	31"		



MK-180AC

■ AUTUMN CAMO

MK-120

120 LBS RECURVE CROSSBOW

★ 14" (Ø8mm) ALUM. bolt recommended



MK-120AC


■ AUTUMN CAMO

FEET PER SECOND	185	WIDTH	26"
DRAW WEIGHT	120 lbs	BARREL	ALUM. BARREL
WEIGHT	3.63 lbs	LIMB	FIBERGLASS LIMB
POWER STROKE	10"	STOCK	COMPOSITE STOCK
LENGTH	31"		



MK-120

■ BLACK



PISTOL CROSSBOW

MK-TCS1

ALLIGATOR

80 LBS SELF COCKING CROSSBOW

★ 6.5" Alum. bolt recommended

NEW



MK-TCS1-G
GREEN

FEET PER SECOND	185	LENGTH	20"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	1.98 lbs	BARREL	PLASTIC BARREL
POWER STROKE	6"	LIMB	FIBERGLASS LIMB



MK-TCS1-BK
BLACK

MK-TCS2

80 LBS SELF COCKING CROSSBOW

★ 6.5" Alum. bolt recommended

NEW



ALLIGATOR



MK-TCS2-G

■ GREEN

FEET PER SECOND	185	LENGTH	22.05-24.4"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	2.32 lbs	BARREL	PLASTIC BARREL
POWER STROKE	6"	LIMB	FIBERGLASS LIMB



MK-TCS2-BK

■ BLACK

MK-80A4AL

80 LBS SELF COCKING CROSSBOW

★ 6.5" Alum. bolt recommended



MK-80A4AL ALUMINUM

FEET PER SECOND	160	LENGTH	20"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	1.98 lbs	BARREL	ALUM. BARREL
POWER STROKE	6"	LIMB	FIBERGLASS LIMB

MK-80A4PL

80 LBS SELF COCKING CROSSBOW

★ 6.5" Alum. bolt recommended



MK-80A4PL PLASTIC

FEET PER SECOND	160	LENGTH	20"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	1.32 lbs	BARREL	PLASTIC BARREL
POWER STROKE	6"	LIMB	FIBERGLASS LIMB

MK-80A3

80 LBS SMALL SIZE CROSSBOW

★ 6.5" Alum. bolt recommended



MK-80A3
ALUMINUM

FEET PER SECOND	160	LENGTH	17"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	1.62 lbs	BARREL	ALUM. BARREL
POWER STROKE	5"	LIMB	FIBERGLASS LIMB

MK-80A1

80 LBS SMALL SIZE CROSSBOW

★ 6.5" Alum. bolt recommended



MK-80A1
PLASTIC

FEET PER SECOND	160	LENGTH	17"
DRAW WEIGHT	80 lbs	WIDTH	16.5"
WEIGHT	1.05 lbs	BARREL	PLASTIC BARREL
POWER STROKE	5"	LIMB	FIBERGLASS LIMB

MK-50A2/5PL

50 LBS SMALL SIZE CROSSBOW

★ 6.5" Plastic bolt recommended



MK-50A2/5PL
ALUMINUM

FEET PER SECOND	150	LENGTH	12.8"
DRAW WEIGHT	50 lbs	WIDTH	16.5"
WEIGHT	1.43lbs	BARREL	ALUM. BARREL
POWER STROKE	5"	LIMB	METAL LIMB

MK-50A1/5PL

50 LBS SMALL SIZE CROSSBOW

★ 6.5" Plastic bolt recommended



MK-50A1/5PL
PLASTIC

FEET PER SECOND	150	LENGTH	12.8"
DRAW WEIGHT	50 lbs	WIDTH	16.5"
WEIGHT	0.88 lbs	BARREL	PLASTIC BARREL
POWER STROKE	5"	LIMB	METAL LIMB

ACCESSORIES

6

ARROW



MK-250Q-AC
Autumn Camo



MK-250Q-GODC
God Camo



MK-250Q-BK
Black



4

ARROW



MK-350Q-GC
Green Camo



MK-350Q-AC
Autumn Camo



MK-350Q-GODC
God Camo



MK-350Q-BK
Black



QUIVER


STRING



MK-175S String for MK-175 crossbow



MK-XB56C Cable set for MK-XB56 crossbow (2 pcs / set)



MK-250C Cable set for MK-250 series crossbow



MK-XB56S String for MK-XB56 crossbow



MK-300C Buss Cable for MK-300 crossbow (2 pcs / set)



MK-300S String for MK-300 crossbow



MK-50S
String for MK-50
series crossbow



MK-80S
String for MK-80
series crossbow



MK-150S
String for MK-150,
MK-120, MK-160
series crossbow



MK-180S
String for MK-180
series crossbow




MK-250S
String for MK-250
series crossbow

ACCESSORIES



MK-RL
Rail Lube / wax



MK-SS
Stringer for Recurve Crossbow



MK-SL
Sling



MK-RS
3 Red dot sight scope



MK-4X32
4x32 Scope



MK-CS
Cocking String



MK-3BAL
3-Blade Broadhead (3 pcs / card)



MK-4BAL
4-Blade Broadhead (3 pcs / card)



MK-180B
130 LBS Fiberglass compression bow
for MK-180 series crossbow



MK-250B
150 LBS Fiberglass compression bow
for MK-250 series crossbow



MK-50B 50 LBS Metal bow for MK-50 series crossbow



MK-80B 80 LBS Fiberglass compression bow for MK-80 series crossbow



MK-120B 120 LBS Fiberglass compression bow for MK-120 series crossbow



MK-150B 150 LBS Fiberglass compression bow for MK-150 series crossbow



MK-160B 130 LBS Fiberglass compression bow for MK-160 series crossbow



MK-175B 160 LBS Fiberglass limb for MK-175 crossbow



MK-300B 175 LBS Fiberglass limb for MK-300 crossbow (4 pcs / set)

LIMB

ARCHERY BOWS

HIGH-SPEED ARCHERY BOWS

"Even as the archer loves the arrow that flies, so too he loves the bow that remains constant in his hands."

—Nigerian Proverb

MK-CBA5

70 LBS COMPOUND BOW

The MK-CBA5 is a very powerful compound bow with an adjustable drawing weight of 30 to 70 lbs and is able to shoot arrows with a velocity up to 300+ fps.

NEW

300+ FEET PER SECOND

DRAW WEIGHT	30-70 lbs
WEIGHT	3.85 lbs
BRACE HEIGHT	6.5"
DRAW LENGTH	19-31"
AXLE TO AXLE	30"
RISER	ALUMINUM
CAM	CNC MACHINED CAMS

THORNS

LET OFF **70~75 %**



MK-CBA5BK
 BLACK



MK-CBA5FC
 FOREST CAMO

MAN KUNG



MK-CBA2

70 LBS COMPOUND BOW

The bow frame is made of a durable aluminum alloy, and the handle for a better hold is complemented by a unique plastic insert.

Operation of the bow is provided by two eccentrics, due to which a force relief of 70-80% is provided.

This model is also provided with an unusual possibility of adjusting the hood (19-31" / 48-78 cm), due to which each user will be able to adjust the bow of the MK-CBA2 to their needs.

300 FEET PER SECOND

DRAW WEIGHT	15-70 lbs
WEIGHT	4.1 lbs
BRACE HEIGHT	7"
DRAW LENGTH	19-31"
AXLE TO AXLE	30"
RISER	ALUMINUM
CAM SETS	CNC MACHINED CAMS

MIRAGE

LET OFF 70~80 %



MK-CBA2BK
 BLACK



MK-CBA2GODC
 GOD CAMO

MAN KUNG

MK-CB50

55 LBS COMPOUND BOW

The MK-CB50 is a very powerful compound bow with an adjustable drawing weight of 30 to 55 lbs and is able to shoot arrows with a velocity up to 296 fps.

296 FEET PER SECOND

DRAW WEIGHT	30-55 lbs
WEIGHT	3.3 lbs
BRACE HEIGHT	7"
DRAW LENGTH	19-29"
AXLE TO AXLE	28"
RISER	ALUMINUM
LIMB	COMPRESSION MOLDED FIBERGLASS LIMB

AURORA

LET OFF **70 %**



MK-CB50BK
■ BLACK

MK-CB50G
■ GREEN


MK-CB50GODC
■ GOD CAMO

MAN KUNG

MK-CB75

70 LBS COMPOUND BOW

BASILISK



SPECIFICATIONS

DRAW WEIGHT	30-70 lbs
WEIGHT	4.4 lbs
BRACE HEIGHT	7.5"
DRAW LENGTH	25-31"
AXLE TO AXLE	31.5"
LET OFF	75-80 %
RISER	ALUMINUM

MK-CB75BK

■ BLACK

MK-CB75GODC

■ GOD CAMO

295 FEET
PER
SECOND

★ 30" Carbon arrow & 30" Aluminum arrow recommended



MK-CB30

29 LBS COMPOUND BOW

SONIC



SPECIFICATIONS

DRAW WEIGHT	19-29 lbs
WEIGHT	2.2 lbs
DRAW LENGTH	24-26"
AXLE TO AXLE	32"
BRACE HEIGHT	7.5"
LET OFF	65 %
RISER	ALUMINUM
LIMB	COMPRESSION MOLDED FIBERGLASS LIMB

MK-CB30BK

■ BLACK

MK-CB30G

■ GREEN

129 FEET
PER
SECOND

With: 2pcs Of 26" Fiberglass Arrow, Armguard, Quiver, Finger Tab, Arrow Rest, Sight Pin.

MK-CB55

55 LBS COMPOUND BOW

LET OFF **70 %**

SPECIFICATIONS

DRAW WEIGHT	40-55 lbs
WEIGHT	4 lbs
BRACE HEIGHT	7.5"
DRAW LENGTH	27-29"
AXLE TO AXLE	41.5"

MK-CB55B

■ BLACK

MK-CB55GODC

■ GOD CAMO

220 FEET
PER
SECOND

★ 30" Carbon & Aluminum arrow recommended

= 57 =



MK-RB001

40 LBS RECURVE BOW

APOLLO

SPECIFICATIONS

DRAW WEIGHT	40 lbs
WEIGHT	3.6 lbs
BRACE HEIGHT	7.5"
DRAW LENGTH	28"
LENGTH	61"

MK-RB001

□ WHITE

MK-RB001BK

■ BLACK

170 FEET
PER
SECOND

★ 30" Carbon & Aluminum arrow recommended

= 58 =



MK-CBK1

25 LBS COMPOUND BOW

BESRA

SPECIFICATIONS

DRAW WEIGHT	19-25 lbs
BRACE HEIGHT	6"
DRAW LENGTH	19-20.5"
AXLE TO AXLE	25"



MK-CBK1G
GREEN

MK-CBK1O
ORANGE

MK-CBK1PI
PINK

MK-CBK1
BLACK

MK-CB006

20 LBS COMPOUND BOW SET



SPECIFICATIONS

DRAW WEIGHT	20 lbs
WEIGHT	1.76 lbs
DRAW LENGTH	22"
AXLE TO AXLE	31"
BRACE HEIGHT	7.5"
LET OFF	65%
RISER	PLASTIC
LIMB	PLASTIC
STRING	Cable Wire String

MK-CB006B

■ BLACK

MK-CB006AC

■ AUTUMN CAMO

85 FEET
PER
SECOND

★ 26" & 28" Wood or Fiberglass arrow recommended



MK-RB007

20 LBS RECURVE BOW SET



SPECIFICATIONS

DRAW WEIGHT	20 lbs
WEIGHT	1.65 lbs
DRAW LENGTH	24"
LENGTH	46"
BRACE HEIGHT	7.5"
RISER	PLASTIC
LIMB	PLASTIC

MK-RB007B

■ BLACK

MK-RB007AC

■ AUTUMN CAMO

85 FEET
PER
SECOND

★ 26" & 28" Wood or Fiberglass arrow recommended

MK-RB008

15 LBS RECURVE BOW SET



SPECIFICATIONS

DRAW WEIGHT	15 lbs
WEIGHT	1.03 lbs
DRAW LENGTH	24"
LENGTH	44"
RISER	PLASTIC
LIMB	FIBERGLASS



MK-RB008BK

■ BLACK

MK-RB008-OR

■ ORANGE

75 FEET
PER
SECOND

★ 26" & 28" Wood or Fiberglass arrow recommended


MK-CB008

10 LBS COMPOUND BOW SET



SPECIFICATIONS

DRAW WEIGHT	10 lbs
WEIGHT	1.1 lbs
DRAW LENGTH	24"
AXLE TO AXLE	34"
LET OFF	60%
RISER	PLASTIC
LIMB	FIBERGLASS



MK-CB008BK

■ BLACK

MK-CB008-OR

■ ORANGE

70 FEET
PER
SECOND

★ 26" & 28" Wood or Fiberglass arrow recommended



18 LBS RECURVE BOW SET
MK-RB015

26" & 28" Wood or Fiberglass arrow **recommended**



DRAW WEIGHT	18 lbs
FEET PER SECOND	80
DRAW LENGTH	24"
LENGTH	44"
RISER	PLASTIC
LIMB	FIBERGLASS



12 LBS COMPOUND BOW SET
LET OFF 60 %
MK-CB015

DRAW WEIGHT	12 lbs
FEET PER SECOND	75
DRAW LENGTH	24"
AXLE TO AXLE	34"
RISER	PLASTIC
LIMB	FIBERGLASS



10 LBS RECURVE BOW
MK-RB009

DRAW WEIGHT	10 lbs / 15 lbs / 15 lbs
WEIGHT	0.35 lbs / 0.63 lbs / 0.88 lbs
FEET PER SECOND	65/80/85
DRAW LENGTH	22"/24"/28"
LENGTH	36"/44"/51"



15 LBS RECURVE BOW
MK-RB010

26" and 28" Wood or Fiberglass arrow **recommended**



15 LBS RECURVE BOW
MK-RB011

30" Wood or Fiberglass arrow **recommended**



ACCESSORIES



MK-SIGHT
Sight with 3 pin



MK-SR
Stabilizer



MK-BQ/AC
4-Arrow quiver for MK-CB009 /
MK-CB006 / MK-RB007 Bows



MK-BQ/BK
4-Arrow quiver for MK-CB009 /
MK-CB006 / MK-RB007 Bows



MK-AR
Arrow rest (2 pcs / Card)



VANE-2.5"
2.5" vane for bolt (9 pcs / bag)



VANE-3.0"
3.0" vane for bolt (9 pcs / bag)



MK-AR-NEW
Drop away arrow rest




MK-WS
Wrist Sling



MK-RA
Adjustable release aid


CABLE FOR ARCHERY



MK-CBC55 Cam + Cable wire for MK-CB55




MK-CBC75 Buss cable for MK-CB75 (2 pcs / set)




MK-CBC006 Cam + Cable wire for MK-CB006



MK-CBC008 Cam + String for MK-CB008



MK-CBC010 Cam + Cable wire for MK-CB010




MK-CBCA2 Buss cable for MK-CBA2 (2 pcs / set)

ACCESSORIES


STRINGS FOR ARCHERY




MK-CBS55 String for MK-CB55



MK-CBS75 String for MK-CB75(2 pcs / set)



MK-CBSA2 String for MK-CBA2



MK-CBS009 String for MK-CB009(3 strings / set)



MK-RBS007 String for MK-RB007



MK-RBS008 String for MK-RB008



MK-RBS009 String for MK-RB009



MK-RBS010 String for MK-RB010



MK-RBS011 String for MK-RB011

ARROWS

One shot, one kill.

ARROWS



6 PCS / CARD



6 PCS BOX PACK



12 PCS / CARD



PLASTIC BOLT

ALUMINUM BOLT



ALUMINUM BOLT



ALUMINUM BOLT



CARBON BOLT

BOLT

ALUMINUM BOLT

ITEM No.	SPECS	PACKAGING
MK-AL14-BK	2018-14" (Ø8mm) Black	
MK-AL14-R	2018-14" (Ø8mm) Red	
MK-AL16-BK	2219-16" (Ø9mm) Black	
MK-AL16-R	2219-16" (Ø9mm) Red	
MK-AL20-BK	2219-20" (Ø9mm) Black	
MK-AL20-R	2219-20" (Ø9mm) Red	
MK-AL14/6BK	2018-14" (Ø8mm) Black	6 pcs / card
MK-AL14/6R	2018-14" (Ø8mm) Red	6 pcs / card
MK-AL16/6BK	2219-16" (Ø9mm) Black	6 pcs / card
MK-AL16/6R	2219-16" (Ø9mm) Red	6 pcs / card
MK-AL20/6BK	2219-20" (Ø9mm) Black	6 pcs / card
MK-AL20/6R	2219-20" (Ø9mm) Red	6 pcs / card

CARBON BOLT

PISTAL CROSSBOW

ITEM No.	SPECS	PACKAGING
MK-CA20	20"	
MK-CA22	22"	
MK-CA20/6P	20"	6 pcs box pack
MK-AL	6.5" Aluminum bolt	12 pcs / card
MK-PL-Y	6.5" Plastic bolt Yellow	12 pcs / card
MK-PL-O	6.5" Plastic bolt Orange	12 pcs / card
MK-PL-BL	6.5" Plastic bolt Blue	12 pcs / card
MK-PL-BK	6.5" Plastic bolt Black	12 pcs / card
MK-PL-3C	6.5" Plastic bolt Assorted color	12 pcs / card

ARROWS



3 PCS / CARD



WOODEN ARROW

FIBERGLASS ARROW

CARBON ARROW (28")

CARBON ARROW (30")



6 PCS BOX PACK



ALUMINUM ARROW

ALUMINUM ARROW (MK-AAL29-1716)

ALUMINUM ARROW (MK-AAL30-2219)

ALUMINUM ARROW (MK-AAL30-2317)

ARROW

	ITEM No.	SPECS	PACKAGING		ITEM No.	SPECS	PACKAGING
WOODEN ARROW	MK-W26	26" (Ø8MM)		ALUMINUM ARROW	MK-AAL29	1916-29" (Ø7.6mm)	
	MK-W28	28" (Ø8MM)			MK-AAL29-1716	1716-29" (Ø6.8MM)	
	MK-W29	29" (Ø8MM)			MK-AAL30	2018-30" (Ø8mm)	
	MK-W30	30" (Ø8MM)			MK-AAL30-2219	2219-30" (Ø9mm)	
	MK-W26-C	26"	3 pcs / card		MK-AAL30-2317	2317-30" (Ø9.2MM)	
	MK-W28-C	28"	3 pcs / card		MK-AAL29-C	1916-29" (Ø7.6mm)	3 pcs / card
	MK-W29-C	29"	3 pcs / card		MK-AAL30-C	2018-30" (Ø8mm)	3 pcs / card
	MK-W30-C	30"	3 pcs / card				
FIBERGLASS ARROW	MK-FA26	26" (Ø6.9mm)		CARBON ARROW	MK-CA28	28" (Ø7.5mm)	
	MK-FA28	28" (Ø6.9mm)			MK-CA30	30" (Ø7.5mm)	
	MK-FA30	30" (Ø6.9mm)			MK-CA30/6P	30"	6 pcs box pack
	MK-FA26-C	26"	3 pcs / card				
	MK-FA28-C	28"	3 pcs / card				
MK-FA30-C	30"	3 pcs / card					

SLINGSHOTS

MK-SL06



MK-SL06/BL
■ BLUE

MK-SL08



MK-SL08/BL
■ BLUE

SURE GRIP HANDLE
GENUINE LEATHER POUCH
ADJUSTABLE YOKE




MK-SL06/O ■ ORANGE



MK-SL06/BK ■ BLACK

STEEL AMMO



MK-TA
METAL AMMO

RUBBER BAND



MK-TR-BL
BLUE



MK-TR-Y
YELLOW



MK-TR-O
ORANGE

HIGH PERFORMANCE SLINGSHOT



MK-T5



MK-T9 **LARGE SIZE SLINGSHOT**



MK-T1



MK-T11 **LARGE SIZE SLINGSHOT**

BLOWGUNS

BLOWGUN DARTS



MK-100AS-36
36 PCS/CARD



MK-100AS-100
100 PCS/CARD

BLOWGUNS



MK-100A-30 30 inches



MK-100A-40 40 inches



MK-100A-60 60 inches

BATONS



SPECIFICATIONS CROSSBOW

	FEET PER SECOND	WEIGHT	DRAW WEIGHT	POWER STROKE	LENGTH	WIDTH	AXLE TO AXLE
MK-XB58	405	7.8 lbs	200 lbs	14.5"	36-38.78"		15.75"
MK-XB86	370	7.85 lbs	185 lbs	14"	37"		21.5"
MK-XB27	255	5.22 lbs	175 lbs	11"	30.7-32.28"	26"	
MK-XB56	375	7.5 lbs	175 lbs	14"	35.25-38.5"		18"
MK-XB55	370	7.72 lbs	185 lbs	14"	36"		21.5"
MK-XB53	370	7.34 lbs	185 lbs	13.5"	36 1/4"		21.5"
MK-XB52	370	7.65 lbs	185 lbs	14"	36"		21.5"
MK-XB25	260	5.8 lbs	175 lbs	12"	32-33.75"	27.5"	
MK-XB23	245	4.95 lbs	175 lbs	10.5"	33"	26"	
MK-XB21	245	4.6 lbs	175 lbs	10.5"	30.5"	26"	
MK-XB001	248	7.37 lbs	150 lbs	12.5"	36"		28"
MK-400	360	8.67 lbs	175 lbs	15"	35"		23"
MK-380	360	8.23 lbs	175 lbs	15"	35"		23"
MK-350	325	7.92 lbs	150 lbs	14.5"	33"		22"
MK-300	285	7.48 lbs	175 lbs	11.5"	36.5"		27.5"
MK-177	210	5.85 lbs	160 lbs	10.5"	34"	26.5"	
MK-150A1	210	5.61 lbs	150 lbs	10.5"	34"	26"	
MK-150A2	210	5.61 lbs	150 lbs	10.5"	34"	26"	
MK-180	165	5.43 lbs	130 lbs	10"	31"	29"	
MK-120	185	3.63 lbs	120 lbs	10"	31"	26"	
MK-TCS1	185	1.98 lbs	80 lbs	6"	20"	16.5"	
MK-TCS2	185	2.32 lbs	80 lbs	6"	22.05-24.4"	16.5"	
MK-80A4PL	160	1.32 lbs	80 lbs	6"	20"	16.5"	
MK-80A4AL	160	1.98 lbs	80 lbs	6"	20"	16.5"	
MK-80A1	160	1.05 lbs	80 lbs	5"	17"	16.5"	
MK-80A3	160	1.62 lbs	80 lbs	5"	17"	16.5"	
MK-50A1/5PL	150	0.88 lbs	50 lbs	5"	12 4/5"	16.5"	
MK 50A2/5PL	150	1.43 lbs	50 lbs	5"	12 4/5"	16.5"	

SPECIFICATIONS

ARCHERY BOW

	FEET PER SECOND	WEIGHT	DRAW WEIGHT	DRAW LENGTH	LENGTH	BRACE HEIGHT	AXLE TO AXLE	LET-OFF
MK-CBA5	300+	3.85 lbs	30~70 lbs	19~31"		6.5"	30"	70~75%
MK-CBA2	300	4.1 lbs	15~70 lbs	19~31"		7"	30"	70~80%
MK-CB30	129	2.2 lbs	19~29 lbs	24~26"		7.5"	32"	65%
MK-CB50	296	3.3 lbs	30~55 lbs	19~29"		7"	28"	70%
MK-CB55	220	4 lbs	40~55 lbs	27~29"		7.5"	41.5"	70%
MK-CB75	295	4.4 lbs	30~70 lbs	25~31"		7.5"	31.5"	75~80%
MK-CBK1			19~25 lbs	19~20.5"		6"	25"	
MK-CB006	85	1.76 lbs	20 lbs	22"		7.5"	31"	65%
MK-RB001	170	3.6 lbs	40 lbs	28"	61"	7.5"		
MK-RB007	85	1.65 lbs	20 lbs	24"	46"	7.5"		
MK-CB015	75		12 lbs	24"			34"	60%
MK-RB015	80		18 lbs	24"	44"			
MK-CB008	70	1.1 lbs	10 lbs	24"			34"	60%
MK-RB008	75	1.03 lbs	15 lbs	24"	44"			
MK-RB009	65	0.35 lbs	10 lbs	22"	36"			
MK-RB010	80	0.63 lbs	15 lbs	24"	44"			
MK-RB011	85	0.88 lbs	15 lbs	28"	51"			

